

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名	総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢	
01.02	穿頭術後脳室ドレナージ	男	2									1				1		76.5	
		女	1											1					71.0
01.09	慢性硬膜下血腫洗浄・除去術(穿頭)	男	18								3	5	2	3			4	1	73.9
		女	6											1	1	2	2		80.5
01.18	水頭症手術(脳室穿破術) (神経内視鏡手術によ	男	1							1									54.0
		女																	
01.24	頭蓋減圧	男																	
		女	1											1					74.0
01.31	頭蓋内血腫除去術(開頭) (硬膜下)	男														2			82.0
		女	2																
01.39	頭蓋内血腫除去術(開頭) (脳内)	男	2						1			1							51.5
		女																	
01.59	頭蓋内腫瘍摘出術(その 他のもの)	男				1													
		女	3										2						48.7
04.49	神経剥離	男	1																58.0
		女	1								1								63.0
06.31	甲状腺部分切除術、甲状 腺腫摘出術(片葉のみ)	男														1			58.0
		女	2						1										
06.39	甲状腺悪性腫瘍手術(切 除)＜部分切除＞	男	1																61.0
		女	1						1				1						31.0
06.7	甲状舌管嚢胞摘出術	男	1						1										32.0
		女																	
13.41	白内障手術(超音波摘出 術)	男																	
		女	2										1	1					70.5
13.70	水晶体再建術(眼内レン ズを挿入する場合)	男	37						3		10	3	7	2	8	3	1		65.1
		女	23										3	3	6	4	3	4	79.0
13.71	眼内レンズ挿入[水晶体 摘出併施]	男	27								1	4	3	4	2	8	4	1	75.7
		女	42								4	2	9	8	5	8	4	2	74.0
13.9	水晶体再建術(眼内レン ズを挿入しない場合)	男	2									1							74.0
		女															1		
18.09	耳介血腫開窓術	男	1													1			81.0
		女																	
18.21	先天性耳瘻管摘出術	男	3		1		2												13.3
		女	1						1										38.0
19.4	鼓膜形成	男	6			1	1	2				1	1						35.3
		女	2							2									44.0
20.01	鼓膜(排液、換気)チュ ープ挿入術	男	18	13	5														3.2
		女	18	10	7	1													4.3
20.09	鼓膜切開	男	1						1										44.0
		女																	
21.69	粘膜下鼻甲骨切除術	男	2					1					1						44.0
		女																	
21.71	鼻骨骨折修復固定術	男	3		1				1						1				40.3
		女	3		2										1				30.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢	
21.84	鼻中隔矯正術	男	5			1	2		1				1						29.6	
		女	1							1										41.0
22.2	上顎洞開窓術	男																		
		女	1					1												26.0
22.31	上顎洞篩骨洞前頭洞根本手術	男	28					3	2	5	8	3	5	1	1					52.7
		女	9							4	1	2	2							54.7
22.51	鼻内篩骨洞手術	男																		
		女	1																1	95.0
22.60	汎副鼻腔根本手術	男	4					1	1			2								43.5
		女	2						1			1								46.5
22.63	上顎洞篩骨洞蝶形洞根本手術	男																		
		女	1									1								55.0
23.19	抜歯手術(白歯)	男	2		1											1				42.0
		女	2														1	1		83.5
25.1	舌腫瘍摘出術(その他)	男	1												1					74.0
		女																		
25.59	舌小帯形成手術	男	1	1																3.0
		女	1		1															7.0
26.29	耳下腺腫瘍摘出術(耳下腺浅葉摘出術)	男	3						1	1					1					48.7
		女	5					1				2	1		1					54.0
26.32	がま腫摘出術	男	2		1				1											19.5
		女																		
27.31	口蓋腫瘍摘出術	男	1																	
		女												1						65.0
27.43	口唇腫瘍摘出術(粘液嚢胞摘出術)	男																		
		女	2	2																3.5
28.0	扁桃周囲膿瘍切開術	男	6					4		1	1									32.8
		女																		
28.2	口蓋扁桃手術(摘出)	男	17		1	1		7	7	1										27.2
		女	16			3	2	8	1	2										23.8
28.3	アデノイド口蓋扁桃摘出	男	8	2	6															5.4
		女	4	2	2															4.8
29.39	中咽頭腫瘍摘出術(経口腔)	男	1		1															7.0
		女																		
30.09	喉頭ポリープ切除術(直達喉頭鏡)	男	8						1	1	3	1	1				1			55.6
		女	6								1	1	2		1		1			62.5
31.1	気管切開	男	4							1										63.0
		女	2											2		1			1	84.0
31.42	喉頭腫瘍摘出術(直達鏡)	男	1												1					70.0
		女	1											1						68.0
31.72	気管切開孔閉鎖術	男	1										1							61.0
		女																		
32.28	胸腔鏡下肺切除<局所的切除>	男	4				1	2								1				37.5
		女	1													1				72.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名	性別	総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢	
32.3	胸腔鏡下肺部分切除	男	2					1							1					49.5
		女	1															1		
34.04	持続的胸腔ドレナージ(開始日)	男	3						1			1							1	67.3
		女																		
36.01	経皮的冠動脈形成術	男	16							4	3	2	2	2	2	1				61.9
		女	7								1	1	2	1	1	1				68.4
36.06	経皮的冠動脈ステント留置術	男	32					1			7	6	2	12	3	1				65.6
		女	9							1	2		1	2	1	2				67.2
37.80	ペースメーカー移植術(経静脈電極)	男	7								1	1	1		2	1		1		73.4
		女	5											1	2	1	1			77.8
37.85	ペースメーカー電池交換術	男	1												1					76.0
		女																		
38.59	下肢静脈瘤手術(抜去切除術)	男	11								2	3	1	4			1			66.7
		女	12						2	1	4	1	2	2						56.8
38.89	血管結紮術(その他)<[下肢の静脈]>	男	1							1										47.0
		女																		
39.50	四肢の血管拡張術・血栓除去術	男	41								2	6	15	6	6	4	2			70.5
		女	21								3	6		3	2	5	2			70.2
39.51	脳動脈瘤頸部クリッピング(1箇所)	男	1								1									51.0
		女	2								1				1					67.5
39.52	脳動脈瘤血管内手術	男	2									1		1						66.5
		女	5								1	1			1	1			1	71.0
39.59	腎血管性高血圧症手術(経皮的腎血管拡張術)	男	1								1									58.0
		女																		
39.72	コイルによる塞栓形成術または閉塞術	男	3								1	1	1							63.3
		女	5						1		1			1	1		1			60.4
39.99	脳血管内手術	男	2											1	1					69.0
		女	5										1	1	2			1		72.6
40.29	ガングリオン摘出(その他)(ヒグローム摘出術)	男	2										1					1		74.0
		女																		
40.3	子宮付属器悪性腫瘍手術(両)<卵巣卵管1側摘	男	1										1							62.0
		女																		
42.23	食道狭窄拡張術(内視鏡)	男	1														1			82.0
		女																		
42.33	内視鏡的食道静脈瘤結紮術	男	3							1		1							1	68.3
		女	2					1										1		56.5
43.11	胃瘻造設術(経皮的内視鏡下胃瘻造設術を含む)	男	13								1	1	1	2	2	3	1	2		76.8
		女	23												3	2	6	7	5	84.6
43.41	内視鏡的胃、十二指腸ポリープ・粘膜切除術(そ	男	6							1		1	2	2						63.5
		女																		
43.5	胃悪性腫瘍手術(切除)<近位切除と所属リンパ	男	3								1			1		1				67.7
		女																		
43.6	胃悪性腫瘍手術(切除)と胆嚢摘除術<遠位胃切	男	5								1		1		2	1				72.8
		女	3												1	1	1			78.3

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名	性別	総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
43.7	胃悪性腫瘍手術(切除) ＜空腸への吻合を伴う部	男女	1								1								57.0
43.91	腹腔鏡下胃全摘術(悪性腫瘍手術)	男女	2							1		1					1		81.0
43.99	胃全摘術(悪性腫瘍手術)	男女	2							1				1					55.5
44.39	胃腸吻合術(ブラウン吻合を含む)	男女	1															1	90.0
44.42	十二指腸潰瘍穿孔閉鎖	男女	3						1	1					1				50.0
44.43	内視鏡的消化管止血術＜十二指腸＞	男女	25						2	2	6	4	3	3	2	2		1	63.2
44.61	胃縫合術(大網充填術又は被覆術を含む)	男女	2							1	1			1		3		1	78.7
45.03	結腸切開	男女	1												1				76.0
45.30	内視鏡的胃、十二指腸ポリープ・粘膜切除術(そ	男女	1														1		82.0
45.42	内視鏡的結腸ポリープ・粘膜切除術(その他)	男女	28							2	9	7	2	5	3				62.5
45.43	内視鏡的結腸ポリープ・粘膜切除術(早期悪性腫	男女	7							1	1	2	1	1			1		64.7
45.61	腸閉鎖症手術(腸管切除を伴う)＜小腸多分節切	男女	6							2		1	2		1				59.2
45.62	小腸切除術(悪性腫瘍手術以外の切除術)	男女	1								1								55.0
45.72	腹腔鏡下結腸切除＜盲腸切除＞	男女	4					1						2			1		80.0
45.73	腹腔鏡下結腸悪性腫瘍切除術	男女	1														1		81.0
45.74	結腸悪性腫瘍手術＜横行結腸切除と所属リンパ節	男女	3								1	1		2	2	1	1		74.3
45.75	左半結腸切除	男女	6											1					66.0
45.76	腹腔鏡下結腸切除術＜S状結腸切除＞	男女	1																79.0
45.79	結腸切除術(全切除、亜全切除又は悪性腫瘍手術)	男女	1								1						1	1	81.0
45.90	腸閉鎖症手術(腸管切除を伴わない)	男女	1												1				57.0
46.10	人工肛門造設術	男女	4							1	1			1	1				60.0
46.11	結腸人工肛門造設[1時的]	男女	2														1	1	85.0
		男女	1											2	2			1	74.0
		男女	6													1		1	75.0
		男女	3												2			1	79.3
		男女	1										1						66.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
46.13	人工肛門造設<永久的>	男女	1												1				76.0
46.20	腸瘻造設術<回腸>	男女	1															1	92.0
47.09	虫垂切除術	男女	20		1		2	6	6	2	1	1					1		33.6
		男女	10			1	1	2	1	2	1		2						39.2
47.2	限局性腹腔膿瘍手術(虫垂周囲膿瘍)	男女	1								1								54.0
47.91	虫垂瘻造設術	男女	1												1				76.0
48.35	直腸腫瘍摘出術(経肛門)	男女	2								1			1					60.5
		男女	3							2	1								49.0
48.36	内視鏡下ポリープ切除[直腸]	男女	1					1											37.0
48.5	腹会陰式直腸切断	男女	3										1	2					70.0
		男女	1													1			83.0
48.63	直腸切除・切断術(低位前方切除術)	男女	2										1					1	79.5
		男女	2								1			1					67.0
48.69	腹腔鏡下直腸切除術	男女	1											1					72.0
48.76	直腸脱手術(経肛門)	男女	2															2	94.0
48.81	直腸周囲膿瘍切開術	男女	1								1								53.0
49.01	肛門周囲膿瘍切開術	男女	1														1		81.0
49.12	痔瘻根治手術(複雑)	男女	2							2									43.0
49.46	痔核手術(根治手術)	男女	8						5		1			2					45.8
		男女	5								2	2			1				62.6
50.22	肝切除術(部分切除)(1歳以上)	男女	3							1				1	1				64.7
		男女	1											1					70.0
50.29	肝悪性腫瘍マイクロ波凝固法(一連として)(経	男女	6							1		1			3	1			71.0
		男女	4									1	1	1	1				69.0
50.3	肝右葉切除	男女	2										2						67.0
50.91	経皮的肝膿瘍等穿刺術	男女	1											1					74.0
51.03	胆嚢外瘻造設術	男女	1												1				79.0
51.22	胆嚢摘除術(開腹)	男女	1									1							61.0
51.23	腹腔鏡下胆のう摘出	男女	26				1		2	2	8	5	2	1	2	1	2		59.3
		男女	19					4	1	1	5	1	2	2		2	1		56.1

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
51.49	胆管切開結石摘出術(胆嚢摘出を含む)	男女	1															1	95.0
51.59	肝内胆管外瘻造設術(経皮経肝)	男女	7								1		2	1	2	1			70.4
51.85	内視鏡的乳頭切開術(乳頭括約筋切開のみ)	男女	3										1		1			1	78.0
51.87	内視鏡的胆道ステント留置術	男女	5						1	1		1					1	1	62.6
52.51	膵頭部腫瘍切除術(膵頭十二指腸切除術)	男女	1												1				70.0
53.00	単径ヘルニア修復[1側]ポッツ法	男女	1			1									1				72.0
53.02	外単径ヘルニア修復[1側]	男女	1		1														11.0
53.03	移植片または人工物を用いる内単径ヘルニアの修	男女	14								4	2	3	4	1				65.6
53.04	移植片または人工物を用いる外単径ヘルニアの修	男女	43				1	5	3	4	6	7	2	6	4	3	2		58.1
53.05	網目状合成織物移植を用いた単径大腿ヘルニア修	男女	6						2	1	2		1						48.3
53.10	単径ヘルニア根治[両側]	男女	5									1	2		1		1		71.4
53.11	内単径ヘルニアの修復[両側]	男女	1														1		88.0
53.14	移植片または人工物を用いる内単径ヘルニアの両	男女	1								1								84.0
53.15	移植片または人工物を用いる外単径ヘルニアの両	男女	1									1							53.0
53.21	移植片または人工物を用いる大腿ヘルニアの1側	男女	6							1		2		1		2			61.0
53.29	大腿ヘルニア手術<1側>	男女	3						2									1	67.8
53.31	網目状合成織物移植を用いた単径大腿ヘルニア修	男女	1							1									60.3
53.51	腹壁癒痕ヘルニア根治	男女	1										1						65.0
53.59	白線ヘルニア手術	男女	5										1	2		1	1		47.0
53.69	移植片を用いた前腹壁のその他のヘルニアの修復	男女	1												1				67.0
53.9	内ヘルニア手術	男女	1															1	76.6
54.11	試験開腹術	男女	1											1					75.0
		男女	1								1								93.0
		男女	1															1	90.0
		男女	1																66.0
		男女	1								1								54.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢	
54.21	腹腔鏡下腎(尿管)悪性腫瘍手術	男	2							1							1		61.0	
		女	2					1										1		53.5
54.3	腹壁腫瘍摘出術(形成手術を必要とする)	男																1		85.0
54.4	後腹膜悪性腫瘍手術	男																		
		女	2							1	1									51.0
54.51	腹腔鏡下腸管癒着剥離術	男	1												1					70.0
		女	1																	
54.59	腸閉塞手術(腸管癒着症手術)	男	4							1	1				1		1			65.3
		女	2												1				1	83.0
54.91	胸水・腹水濾過濃縮再静注法	男	10								10									58.3
55.03	経皮的腎(腎盂)瘻造設術<腎>	男	5								1		2	1	1					68.2
		女	3							1							1	1		72.3
55.12	経皮的腎(腎盂)瘻造設術<腎盂>	男	1															1		85.0
55.39	腎(尿管)悪性腫瘍手術(後腹膜鏡補助下)	男	5						1		2			1		1				58.0
		女	3												1		1	1		81.7
55.4	腹腔鏡下腎摘出術	男																		
		女	2							1				1						55.5
55.51	腎(尿管)悪性腫瘍手術<1側腎全摘>、後腹膜	男	2								1					1				66.0
		女	1													1				79.0
55.87	腎盂形成(左)	男						1												23.0
55.89	腹腔鏡下腎盂形成手術	男	3					1	2											32.3
		女	1								1									51.0
55.92	経皮的腎嚢胞穿刺術	男	1								1									56.0
55.93	腎ろうチューブ交換	男	1														1			83.0
		女																		
56.0	経尿道の尿路結石除去術<尿管>	男	9							2	3		1	2	1					61.6
		女	5							1	2				2					58.2
56.2	経尿道の尿管ステント留置術	男	1								1									57.0
		女	2					1			1									43.0
56.74	左尿管膀胱新吻合	男																		
57.0	膀胱結石摘出術(経尿道的手術)	男	2		1			1												16.5
		女	9								1	1	3		2				2	72.0
57.19	膀胱結石摘出術(膀胱高位切開術)	男	1							1					1					46.0
		女	1																	72.0
57.21	膀胱瘻造設術	男	1																1	94.0
57.49	膀胱悪性腫瘍手術(経尿道的手術)	男	57							1	8	9	3	6	10	8	5	7		73.6
		女	6											1	2	2	1			78.8

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
57.79	膀胱悪性腫瘍手術(全摘) (尿路変更)(代用膀胱)	男女	5								2	2			1				62.6
58.0	後部尿道結石摘出術<切開による>	男女	1					1							1				75.0
58.22	内視鏡下尿道狭窄切開	男女	1														1		82.0
58.31	尿道狭窄内視鏡手術	男女	5											1	2	1	1		79.4
58.39	外尿道腫瘍切除術	男女	3											2	1				73.3
58.49	前部尿道形成手術	男女	1								1								58.0
58.5	内視鏡下尿道狭窄切開	男女	1											1					71.0
58.6	前立腺部尿道拡張術(尿道ステント使用)	男女	1															1	90.0
59.79	尿失禁手術(その他のもの)	男女	2										1		1				70.5
59.8	経尿道的尿管狭窄拡張術	男女	1											1					71.0
60.0	前立腺切開	男女	3					2						1				1	41.7
60.21	経尿道的前立腺手術<TULIP>	男女	1											1					80.0
60.29	経尿道的前立腺手術	男女	47								5	6	6	13	7	8	2		74.0
60.3	前立腺被膜下摘出術<恥骨上>	男女	1											1					71.2
60.5	前立腺精嚢悪性腫瘍手術<所属リンパ節切除>	男女	19								3	3	3	10					70.0
61.2	陰嚢水腫手術(その他)	男女	2								1	1							67.1
62.3	精巣摘出術	男女	2								1			1					60.5
62.41	精巣悪性腫瘍手術	男女	2							1					1				61.5
62.5	停留精巣固定術	男女	3	1		2													58.0
62.61	精巣外傷手術(精巣白膜縫合術)	男女	1					1											9.0
63.4	精巣上体摘出術	男女	3							1		1	1						18.0
64.0	包茎手術(環状切除術)	男女	1								1								57.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
64.2	陰茎悪性腫瘍手術(陰茎切除)	男女	1								1								53.0
64.91	包茎手術(背面切開術)	男女	2														1	1	85.0
65.29	卵巣のう腫切除	男女	1					1											27.0
65.39	卵巣摘出[1側]	男女	1															1	86.0
65.49	卵管卵巣摘出[1側]	男女	1										1						60.0
65.51	子宮付属器悪性腫瘍手術(両)＜卵巣両側摘出＞	男女	1												1				70.0
65.53	子宮付属器腫瘍摘出術(両)(腹腔鏡)＜卵巣両	男女	1							1									40.0
65.61	子宮付属器悪性腫瘍手術(両)＜卵巣卵管両側摘	男女	3								1		1	1					63.7
65.74	腹腔鏡下卵巣単純縫合術	男女	1					1											26.0
66.62	子宮外妊娠手術(開腹)＜卵管切除を伴う腹腔内	男女	6					2	4										30.3
67.2	子宮頸部円錐切除術	男女	4					1	1	1	1								40.0
67.32	子宮頸部の電氣的円錐切除	男女	1							1									40.0
67.4	子宮頸部切除術	男女	9					1	5	2	1								38.9
67.5	子宮頸管縫縮術(マクドナルド法)	男女	2					1	1										27.5
68.12	子宮鏡下子宮筋腫摘出術	男女	3								3								44.0
68.29	子宮筋腫核出術(腹式)	男女	7						3	1	1	2							47.7
68.4	子宮全摘術＜腹式＞	男女	22						1	14	5	1				1			49.8
68.51	腹腔鏡下腔式子宮全摘術	男女	1							1									47.0
68.59	子宮脱手術(膣壁形成手術及び子宮全摘術)(膣	男女	14								1	1	4	5	2	1			70.1
68.6	子宮悪性腫瘍手術＜腹式子宮根治的切除と所属リ	男女	1							1									47.0
69.01	流産手術(妊娠11週まで)＜拡張および掻爬＞	男女	10					4	6										29.7
69.02	頸管拡張子宮そうは[流産後]	男女	5					3	2										29.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
64.2	陰茎悪性腫瘍手術(陰茎切除)	男	1								1								53.0
64.91	包茎手術(背面切開術)	男	2														1	1	85.0
65.29	卵巣のう腫切除	男																	
		女	1					1											27.0
65.39	卵巣摘出[1側]	男																	
		女	1															1	86.0
65.49	卵管卵巣摘出[1側]	男																	
		女	1										1						60.0
65.51	子宮付属器悪性腫瘍手術(両)＜卵巣両側摘出＞	男																	
		女	1												1				70.0
65.53	子宮付属器腫瘍摘出術(両)(腹腔鏡)＜卵巣両	男																	
		女	1							1									40.0
65.61	子宮付属器悪性腫瘍手術(両)＜卵巣卵管両側摘	男																	
		女	3								1		1	1					63.7
65.74	腹腔鏡下卵巣単純縫合術	男																	
		女	1					1											26.0
66.62	子宮外妊娠手術(開腹)＜卵管切除を伴う腹腔内	男																	
		女	6					2	4										30.3
67.2	子宮頸部円錐切除術	男																	
		女	4					1	1	1	1								40.0
67.32	子宮頸部の電氣的円錐切除	男																	
		女	1							1									40.0
67.4	子宮頸部切除術	男																	
		女	9					1	5	2	1								38.9
67.5	子宮頸管縫縮術(マクドナルド法)	男																	
		女	2					1	1										27.5
68.12	子宮鏡下子宮筋腫摘出術	男																	
		女	3																44.0
68.29	子宮筋腫核出術(腹式)	男																	
		女	7						3	1	1	2							47.7
68.4	子宮全摘術＜腹式＞	男																	
		女	22						1	14	5	1				1			49.8
68.51	腹腔鏡下腔式子宮全摘術	男																	
		女	1							1									47.0
68.59	子宮脱手術(膈壁形成手術及び子宮全摘術)(膈	男																	
		女	14								1	1	4	5	2	1			70.1
68.6	子宮悪性腫瘍手術＜腹式子宮根治的切除と所属リ	男																	
		女	1							1									47.0
69.01	流産手術(妊娠11週まで)＜拡張および掻爬＞	男																	
		女	10					4	6										29.7
69.02	頸管拡張子宮そうは[流産後]	男																	
		女	5					3	2										29.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢		
69.09	子宮内膜掻爬術	男																			
		女	3						1	1	1										42.7
70.33	腔壁尖圭コンジローム切除術	男																			
		女	2						1	1											39.5
70.51	女子尿道脱手術	男																			
		女	2											1			1				76.5
70.8	腔閉鎖術	男																			
		女	1												1						74.0
71.0	外陰・腔血腫除去術<腔>	男																			
		女	1						1												26.0
73.6	会陰(陰門)切開及び縫合術(分娩時)	男																			
		女	87				2	47	37	1											28.7
74.99	帝王切開術(選択帝王切開)	男	1	1																	
		女	39				1	13	24	1											30.6
75.4	胎盤用手剥離	男																			
		女	1						1												31.0
75.51	頸管裂創縫合術(分娩時)	男																			
		女	2						2												31.5
75.62	会陰(腔壁)裂創縫合術(分娩時)(肛門に及ぶ)	男																			
		女	6				1	1	3	1											32.8
75.69	会陰(腔壁)裂創縫合術(分娩時)(筋層に及ぶ)	男																			
		女	86				2	31	49	4											30.7
76.2	顎骨腫瘍摘出術(長径3cm未満)	男	6		2				1						1						
		女	3																		57.7
76.76	下顎骨折観血の手術(片側)	男	4				2	2													
		女	1					1													19.0
76.79	眼窩骨折観血の手術(眼窩ブローアウト骨折手術)	男	1																		
		女									1										41.0
76.97	下顎骨プレート除去	男	4						3												
		女	1														1				34.0
77.15	骨穿孔<[大腿骨]>	男	3								2		1								
		女	1						1												84.0
77.19	骨穿孔<[その他]>	男	1																		
		女																			59.0
77.27	楔状骨切り[脛骨および腓骨]	男																			
		女	1																		70.0
77.37	骨切り(下腿)	男	4																		
		女	6								1	2	1								54.5
77.65	骨掻爬術(大腿)	男																			
		女	1																		66.3
77.69	骨腫瘍切除術(指)	男																			
		女															1				81.0
77.70	骨移植術(軟骨移植術を含む)(自家骨移植)<	男																			
		女	1				1														14.0
			1						1												38.0

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
77.87	骨部分切除術(下腿)	男女	2					1			1								41.0
77.88	骨悪性腫瘍手術(足その他) <部分切除 [足]>	男女	1											1					73.0
78.23	骨長調整手術(骨短縮術) < [橈骨および尺骨]	男女	1							1									42.0
78.42	偽関節手術(上腕)	男女	1										1						67.0
		男女	1								1								58.0
78.47	偽関節手術(下腿)	男女	2				1						1						38.5
78.49	椎弓形成	男女	1												1				79.0
78.65	骨内異物(挿入物)除去術(大腿) <挿入物>	男女	1														1		85.0
78.67	骨内異物(挿入物)除去術(下腿) <挿入物>	男女	7				1	2	1	1		1		1					38.9
		男女	1				1												18.0
79.02	骨折非観血的整復術(前腕)	男女	1									1						1	90.0
		男女	1																59.0
79.06	骨折非観血的整復術(下腿)	男女	1														1		81.0
79.07	骨折非観血的整復術(足その他) < [足]>	男女	1					1											26.0
79.09	骨折非観血的整復術(足その他) < [その他]>	男女	2					1		1									32.5
79.11	骨折経皮的鋼線刺入固定術(上腕)	男女	2		2														6.0
		男女	1		1														6.0
79.12	骨折経皮的鋼線刺入固定術(前腕)	男女	1														1		85.0
79.14	骨折経皮的鋼線刺入固定術(指) < [手指]>	男女	1		1														9.0
79.17	骨折経皮的鋼線刺入固定術(足)	男女	1								1								55.0
79.18	骨折経皮的鋼線刺入固定術(指) < [足指]>	男女	1						1										35.0
79.25	骨折観血的手術(大腿)	男女	2														1	1	87.0
79.26	骨接合 [観血的] [脛骨および腓骨]	男女	2							1	1								53.5
79.29	骨折観血的手術(鎖骨)	男女	1				1												19.0
79.30	関節内骨折観血的手術(肘) <内固定を行なう>	男女	15		1		1	2	3	2	5	1							38.9
		男女	13			1		2		1	1	2	4			1	1		55.2
79.31	骨折観血的手術(上腕) <内固定を行なう>	男女	3	1					1									1	41.7
		男女	8		1			1			2		2		2				54.5

3.7 ICD-9-CM 分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
80.87	関節鼠摘出手術(関節鏡下)(足)<[足関節]	男	1						1										31.0
		女																	
81.45	靭帯断裂形成手術(関節鏡下)(十字靭帯)	男	25			1	2	12	8	2									28.0
		女	16				5		4	7									32.3
81.47	観血的関節制動(膝)	男	2				1		1										26.0
		女	2			1	1												13.0
81.51	人工関節置換術(股)	男	1									1							61.0
		女	2												2				77.0
81.52	人工骨頭挿入術(股)	男	9						1	1				2			4	1	73.6
		女	15										1	2	2	3	4	3	83.7
81.54	人工関節置換術(膝)	男	1													1			82.0
		女	22									2	3	6	7	2	2		74.4
81.81	人工骨頭挿入術(肩)	男																	
		女	1												1				79.0
81.83	関節形成手術(肩)	男	26				2	5	3	1	10	2	1	2					45.2
		女	11					2	1		2	2	3	1					54.3
81.94	靭帯断裂縫合術(その他の靭帯)<足関節>	男	1					1											22.0
		女																	
81.96	観血的関節制動(肩鎖)	男	1						1										33.0
		女																	
82.01	腱鞘切開術(関節鏡下によるものを含む)(指)	男			1														6.0
		女	1																
82.21	ガングリオン摘出(指)<手指>	男						1											28.0
		女	1																
82.33	腱滑膜切除術[手部]	男												1					65.0
		女	1																
83.39	四肢軟部腫瘍摘出術(下腿)<局所的切除>	男															1		80.0
		女	1																
83.49	四肢軟部腫瘍摘出術(足)<部分切除>	男	3					1			1			1					50.3
		女																	
83.64	腱縫合<手部以外>	男	5					2		1	1	1							43.0
		女	2							1	1								46.0
84.15	四肢切断術(下腿)	男	1											1					68.0
		女	1													1			78.0
84.17	四肢切断術(大腿)	男																	
		女	2														1	1	88.5
85.21	乳腺腫瘍摘出術(長径5cm以上)	男																	
		女	9						3	1	3	1	1						48.4
85.23	乳腺悪性腫瘍手術(乳房部分切除術)(腋窩部郭)	男																	
		女	1								1								54.0
85.41	乳腺悪性腫瘍手術(乳房切除術)(胸筋切除を併)	男																	
		女	11						1		4	1	2		1	2			63.8
85.43	乳腺悪性腫瘍手術(単純乳房切除術)(乳腺全摘)	男																	
		女	5						1		1	1		1	1				60.4

3.7 ICD-9-CM分類コードによる年齢階層別・男女別 年間退院患者数 (平成19年1月～平成19年12月)

コード	術名		総数	0才～4	5才～9	10才～14	15才～19	20才～29	30才～39	40才～49	50才～59	60才～64	65才～69	70才～74	75才～79	80才～84	85才～89	90才～	平均年齢
86.06	IVH埋込型カテーテル設置	男	5							1			2	1			1		67.2
		女	5								1						1	2	1
86.09	皮膚切開術(長径10cm以上20cm未満)	男	2						1		1						1		44.0
		女	2														1	1	
86.22	デブリードマンI	男	1								1								51.0
		女	1						1										
86.23	陥入爪手術(簡単)	男	1					1											22.0
		女																	
86.3	皮膚、皮下腫瘍摘出術(露出部以外)(長径6cm未満)	男	13	2	1	1		1	2		1	1	3			1			39.8
		女	7	1	1						3				1			1	
86.59	創傷処理(筋肉、臓器に達しない)(長径5cm未満)	男	9				3		1			2		1				1	51.6
		女	4					1			1				1				1
86.69	全層、分層植皮術(20cm2未満)<分層>	男	2						1				1						49.5
		女																	
86.70	皮弁作成術、移動術、切断術、遷延皮弁術(25cm2未満)	男	2							1	1								37.0
		女																	
86.84	瘢痕拘縮形成手術(顔面)	男																	
		女	1		1														
86.86	陥入爪手術(爪床爪母の形成を伴う複雑)	男	1					1											20.0
		女																	
合計		男	1,157	21	25	10	40	96	92	85	178	119	122	135	90	73	37	34	55.9
		女	1,023	15	19	12	19	142	178	80	93	47	73	86	73	84	61	41	53.4
		計	2,180	36	44	22	59	238	270	165	271	166	195	221	163	157	98	75	54.7